GGACTAATCTGTGGGAGCAGTTTATTCCAGTATCACCCAGGGTGCAGCCACACCAGGACTGT GTTGAAGGGTGTTTTTTTTTTTTTAAATGTAATACCTCCTCATCTTTTCTTCTTACACAGTG TCTGAGAACATTTACATTATAGATAAGTAGTACATGGTGGATAACTTCTACTTTTAGGAGGA $\tt CTACTCTTCTGACAGTCCTAGACTGGTCTTCTACACTAAGACACCA{\bf TG}AAGGAGTATGTG$ GAAGAATATGATGCTGAAGGATATGGAAGACACAGATGATGATGATGATGATGATGATGATGATG ATGATGATGATGAGGACAACTCTCTTTTTCCAACAAGAGGCCAAGAAGCCATTTTTTTCCA TTTGATCTGTTTCCAATGTGTCCATTTGGATGTCAGTGCTATTCACGAGTTGTACATTGCTC AGATTTAGGTTTGACCTCAGTCCCAACCATTCCATTTGATACTCGAATGCTTGATCTTC AAAACAATAAAATTAAGGAAATCAAAGAAAATGATTTTAAAGGACTCACTTCACTTTATGGT CTGATCCTGAACAACAACAACCTAACGAAGATTCACCCAAAAGCCTTTCTAACCACAAAGAA GTTGCGAAGGCTGTATCTGTCCCACAATCAACTAAGTGAAATACCACTTAATCTTCCCAAAT CATTAGCAGAACTCAGAATTCATGAAAATAAAGTTAAGAAAATACAAAAGGACACATTCAAA GGAATGAATGCTTTACACGTTTTGGAAATGAGTGCAAACCCTCTTGATAATAATGGGATAGA GCCAGGGGCATTTGAAGGGGTGACGGTGTTCCATATCAGAATTGCAGAAGCAAAACTGACCT CAGTTCCTAAAGGCTTACCACCAACTTTATTGGAGCTTCACTTAGATTATAAAAATTTCA ACAGTGGAACTTGAGGATTTTAAACGATACAAAGAACTACAAAGGCTGGGCCTAGGAAACAA CAAAATCACAGATATCGAAAATGGGAGTCTTGCTAACATACCACGTGTGAGAGAAATACATT TGGAAAACAATAAACTAAAAAAAATCCCTTCAGGATTACCAGAGTTGAAATACCTCCAGATA ATCTTCCTTCATTCTAATTCAATTGCAAGAGTGGGAGTAAATGACTTCTGTCCAACAGTGCC AAAGATGAAGAAATCTTTATACAGTGCAATAAGTTTATTCAACAACCCGGTGAAATACTGGG AAATGCAACCTGCAACATTTCGTTGTGTTTTTGAGCAGAATGAGTGTTCAGCTTGGGAACTTT GGAATGTAATAATTAGTAATTGGTAATGTCCATTTAATATAAGATTCAAAAATCCCTACATT AGTGGTAAGTCCACTGACTTATTTTATGACAAGAAATTTCAACGGAATTTTGCCAAACTATT GATACATAAGGGGTTGAGAGAAACAAGCATCTATTGCAGTTTCCTTTTTGCGTACAAATGAT CTTACATAAATCTCATGCTTGACCATTCCTTTCTTCATAACAAAAAGTAAGATATTCGGTA TTTAACACTTTGTTATCAAGCACATTTTAAAAAGAACTGTACTGTAAATGGAATGCTTGACT TAGCAAAATTTGTGCTCTTTCATTTGCTGTTAGAAAAACAGAATTAACAAAGACAGTAATGT GAAGAGTGCATTACACTATTCTTATTCTTTAGTAACTTGGGTAGTACTGTAATATTTTTAAT CATCTTAAAGTATGATTTGATATAATCTTATTGAAATTACCTTATCATGTCTTAGAGCCCGT CTTTATGTTTAAAACTAATTTCTTAAAATAAAGCCTTCAGTAAATGTTCATTACCAACTTGA ACCTGATTTAAAAATCTCTGTAAAAACGTGTAGTGTTTCATAAAATCTGTAACTCGCATTTT AATGATCCGCTATTATAAGCTTTTAATAGCATGAAAATTGTTAGGCTATATAACATTGCCAC CACTAACAATTCTACACCAAATTGTCTCTTCAAATACGTATGGACTGGATAACTCTGAGAAA TATAAATGCTCAGAGTTCTTTATGTATTTCTTATTGGCATTCAACATATGTAAAATCAGAAA ACAGGGAAATTTTCATTAAAAATATTGGTTTGAAAT

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA34392

<subunit 1 of 1, 379 aa, 1 stop

<MW: 43302, pI: 7.30, NX(S/T): 1

MKEYVLLLFLALCSAKPFFSPSHIALKNMMLKDMEDTDDDDDDDDDDDDDDDDDDDSLFPTREPR
SHFFPFDLFPMCPFGCQCYSRVVHCSDLGLTSVPTNIPFDTRMLDLQNNKIKEIKENDFKGL
TSLYGLILNNNKLTKIHPKAFLTTKKLRRLYLSHNQLSEIPLNLPKSLAELRIHENKVKKIQ
KDTFKGMNALHVLEMSANPLDNNGIEPGAFEGVTVFHIRIAEAKLTSVPKGLPPTLLELHLD
YNKISTVELEDFKRYKELQRLGLGNNKITDIENGSLANIPRVREIHLENNKLKKIPSGLPEL
KYLQIIFLHSNSIARVGVNDFCPTVPKMKKSLYSAISLFNNPVKYWEMQPATFRCVLSRMSV
OLGNFGM

Signal sequence.

amino acids 1-15

N-glycosylation site.

amino acids 281-285

N-myristoylation sites.

amino acids 129-135, 210-216, 214-220, 237-243, 270-276, 282-288

Leucine zipper pattern.

amino acids 154-176

CGGACGCGTGGGCGGACGCTGGGCCCGCGCACCGCCCCGGCCCTCCGCCCTCCGCACTCGCGCCCTCC GCCCCCGTGCTGCCCATCCGTTCTGAGAAGGAGCCGCTGCCCGTTCGGGGAGCGGCAGGCTGCACCTTCGGCGG GAAGGTCTATGCCTTGGACGAGACGTGGCACCCGGACCTAGGGCAGCCATTCGGGGTGATGCGCTGCGTGCTGTG GTGCCCAACCCCGGCTGTGGGCAGCCGCGCAGCTGCCGGGACACTGCTGCCAGACCTGCCCCCAGGAGCGCAG CGGGGAGCCAGGCGCTGAGGAGCGGCCCGTGGTGACGGCCACACGGACTTCGTGGCGCTGCTGACAGGCCCGAG GTCGCAGGCGGTGGCACGAGCCCGAGTCTCGCTGCTGCGCTCTAGCCTCCGCTTCTCTATCTCCTACAGGCGGCT AGATGGCCTGGTCTGTGGGGTGTGGCGGGCAGTGCCTCGGTTGTCTCTGCGGCTCCTTAGGGCAGAACAGCTGCA AGAGACCTTCAGTGCCATCCTGACTCTAGAAGGCCCCCCACAGCAGGGCGTAGGGGGCATCACCCTGCTCACTCT $\tt CCAGGTTCCCTTGAGGCTCCAGATTCTACACCAGGGGCAGCTACTGCGAGAACTTCAGGCCAATGTCTCAGCCCAGGCCCAATGTCTCAGCCCAGCCCAGGCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCC$ GATGGCCCTGGAGTGGGCAGGCAGGCCAGGGCTGCGCATCAGTGGACACATTGCTGCCAGGAAGAGCTGCGACGT GGCCGTGGGTATCTGCCCTGGGCTGGGTGCCCGAGGGGCTCATATGCTGCTGCAGAATGAGCTCTTCCTGAACGT GGGCACCAGGGACTTCCCAGACGGAGAGCTTCGGGGGCACGTGGCTGCCCTACTGTGGGCATAGCGCCCG CACTGTCACTGCCCACCTCCTTGGGCCTCCTGGAACGCCAGGGCCTCGGCGGCTGCTGAAGGGATTCTATGGCTC AGAGGCCCAGGGTGTGGTGAAGGACCTGGAGCCGGAACTGCTGCGGCACCTGGCAAAAGGCATGGCCTCCCTGAT TGTGGTGCTGGTCTCCCGGCCCTAGCGCCCGCAAACCTGGTGGTCCTGGGCGGCCCCGAGACCCCAACACATG CGACCAGTGCTGCCTGTTTGCCCTGAGAAACAAGATGTCAGAGACTTGCCAGGGCTGCCAAGGAGCCGGGACCC aggagagggctgctattttgatggtgaccggagctggcgggcagcgggtacgcggtggcaccccgttgtgccccc TCCCCGGCTGGCCTGTGCCCACCTGTGCGTGTCAACCCCACCGACTGCTGCAAACAGTGTCCAGTGGGGTCGGG GGCCCACCCCAGCTGGGGGACCCCATGCAGGCTGATGGGCCCCGGGGCTGCCGTTTTGCTGGGCAGTGGTTCCC AGAGAGTCAGAGCTGGCACCCCTCAGTGCCCCCTTTTGGAGAGATGAGCTGTATCACCTGCAGATGTGGGGCAGG GGTGCCTCACTGTGAGCGGGATGACTGTTCACTGCCACTGTCCTGTGGCTCGGGGAAGGAGAGTCGATGCTGTTC GGGAGCAGCCAGAGGGCCAAGTGACCAAGAGGATGGGGCCTGAGCTGGGGAAGGGGTGGCATCGAGGACCTTCTT GCATTCTCCTGTGGGAAGCCCAGTGCCTTTGCTCCTCTGTCCTGCCTCTACTCCCACCCCCACTACCTCTGGGAA $\tt TCGGCCTCTGTCCTGGAAGCCCCACCCCTTTCCTCCTGTACATAATGTCACTGGCTTGTTGGGATTTTTAATTAATTTAATT$

><subunit 1 of 1, 954 aa, 1 stop ><MW: 101960, pI: 8.21, NX(S/T): 5

MPSLPAPPAPLLLLGLLLLGSRPARGAGPEPPVLPIRSEKEPLPVRGAAGCTFGGKVYALDE TWHPDI.GOPFGVMRCVLCACEAPOWGRRTRGPGRVSCKNIKPECPTPACGOPROLPGHCCOT CPQERSSSERQPSGLSFEYPRDPEHRSYSDRGEPGAEERARGDGHTDFVALLTGPRSOAVAR ARVSLLRSSLRFSISYRRLDRPTRIRFSDSNGSVLFEHPAAPTQDGLVCGVWRAVPRLSLRL I.RAEOI.HVAI.VTI.THPSGEVWGPI.IRHRALAAETFSAILTLEGPPOOGVGGITLLTLSDTED ST.HFI.LI.FRGLLEPRSGGLTOVPLRLOILHOGOLLRELOANVSAOEPGFAEVLPNLTVOEMD WLVLGELOMALEWAGRPGLRISGHIAARKSCDVLQSVLCGADALIPVQTGAAGSASLTLLGN GSLIYOVOVVGTSSEVVAMTLETKPORRDORTVLCHMAGLQPGGHTAVGICPGLGARGAHML LONELFLNVGTKDFPDGELRGHVAALPYCGHSARHDTLPVPLAGALVLPPVKSQAAGHAWLS I.DTHCHI.HYEVI.I.AGI.GGSEOGTVTAHLI.GPPGTPGPRRLLKGFYGSEAOGVVKDLEPELI.R HLAKGMASLMITTKGSPRGELRGQVHIANQCEVGGLRLEAAGAEGVRALGAPDTASAAPPVV PGLPALAPAKPGGPGRPRDPNTCFFEGOORPHGARWAPNYDPLCSLCTCORRTVICDPVVCP PPSCPHPVOAPDOCCPVCPEKODVRDLPGLPRSRDPGEGCYFDGDRSWRAAGTRWHPVVPPF GLIKCAVCTCKGGTGEVHCEKVQCPRLACAQPVRVNPTDCCKQCPVGSGAHPQLGDPMQADG PRGCRFAGOWFPESOSWHPSVPPFGEMSCITCRCGAGVPHCERDDCSLPLSCGSGKESRCCS RCTAHRRPPETRTDPELEKEAEGS

Signal sequence.

amino acids 1-23

N-glycosylation sites.

amino acids 217-221, 351-355, 365-369, 434-438

Tyrosine kinase phosphorylation sites.

amino acids 145-153, 778-786

N-myristoylation sites.

amino acids 20-26, 47-53, 50-56, 69-75, 73-79, 232-238, 236-242, 390-396, 422-428, 473-479, 477-483, 483-489, 489-495, 573-579, 576-582, 580-586, 635-641, 670-676, 773-779, 807-813, 871-877, 905-911

Amidation site.

amino acids 87-91

Cell attachment sequence.

amino acids 165-168

Leucine zipper pattern.

amino acids 315-337

TGCCGGGCTGGCCGTGCTGCTGCTGCTGCTGGGGGGGCCCCGAGGCAGCTCCCTGGCCAACCCGGTGCCCG AGCCGGACCCGCAGCACCCGGCCGCCGGCGAGCCTGCCTACAGCTGCACCTGCCCCGCCGGGATCTCCGGCG GCAGCAGCGATGGCTACCTCTGCATTTGCAATGAAGGCTATGAAGGTCCCAACTGTGAACAGGCACTTCCCAGTC TCCCAGCCACTGGCTGGACCGAATCCATGGCACCCCGACAGCTTCAGCCTGTTCCTGCTACTCAGGAGCCTGACA AAATCCTGCCTCGCTCTCAGGCAACGGTGACACTGCCTACCTGCCAGCCGAAAACAGGGCAGAAAGTTGTAGAAA TGAAATGGGATCAAGTGGAGGTGATCCCAGATATTGCCTGTGGGAATGCCAGTTCTAACAGCTCTGCGGGTGGCC GCCTGGTATCCTTTGAAGTGCCACAGAACACCTCAGTCAAGATTCGGCAAGATGCCACTGCCTCACTGATTTTGC TCTGGAAGGTCACGGCCACAGGATTCCAACAGTGCTCCCTCATAGATGGACGAAGTGTGACCCCCCTTCAGGCTT CAGGGGGACTGGTCCTCCTGGAGGAGATGCTCGCCTTGGGGAATAATCACTTTATTGGTTTTGTGAATGATTCTG CANATGACTTGGAGTGTTCAGGAAAAGGAAAATGCACCACGAAGCCGTCAGAGGCAACTTTTTCCTGTACCTGTG AGGAGCAGTACGTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCTTGCCAAAACAACGCGAGCT GTATTGATGCAAATGAAAAGCAAGATGGGAGCAATTTCACCTGTGTTTTGCCTTCCTGGTTATACTGGAGAGCTTT GCCAGTCCAAGATTGATTACTGCATCCTAGACCCATGCAGAAATGGAGCAACATGCATTTCCAGTCTCAGTGGAT GCCAGAACAACGGCACCTGCTATGTGGACGGGGTACACTTTACCTGCAACTGCAGCCCGGGCTTCACAGGGCCGA $\tt CCTGTGCCCAGCTTATTGACTTCTGTGCCCTCAGCCCCTGTGCTCATGGCACGTGCCGCAGCGTGGGCACCAGCT$ ACAAATGCCTCTGTGATCCAGGTTACCATGGCCTCTACTGTGAGGAGGAATATAATGAGTGCCTCTCCGCTCCAT CAAACTGTGAGATCCACCTCCAATGGAAGTCCGGGCACATGGCGGAGAGCCTCACCAACATGCCACGGCACTCCC TCTACATCATCATTGGAGCCCTCTGCGTGGCCTTCATCCTTATGCTGATCATCCTGATCGTGGGGATTTGCCGCA TCAGCCGCATTGAATACCAGGGTTCTTCCAGGCCAGCCTATGAGGAGTTCTACAACTGCCGCAGCATCGACAGCG GCCCCATCGCCTATGAAGATTACAGTCCTGATGACAAACCCTTGGTCACACTGATTAAAACTAAAGATTTGTAAT CTTTTTTGGATTATTTTCAAAAAGATGAGATACTACACTCATTTAAATATTTTTAAGAAAATAAAAAGCTTAA GAAATTTAAAATGCTAGCTGCTCAAGAGTTTTCAGTAGAATATTTAAGAACTAATTTTCTGCAGCTTTTAGTTTG GAAAAAATATTTTAAAAACAAAATTTGTGAAACCTATAGACGATGTTTTAATGTACCTTCAGCTCTCTAAACTGT GTGCTTCTACTAGTGTGTGCTCTTTTCACTGTAGACACTATCACGAGACCCAGATTAATTTCTGTGGTTGTTACA GAATAAGTCTAATCAAGGAGAAGTTTCTGTTTGACGTTTGAGTGCCGGCTTTCTGAGTAGAGTTAGGAAAACCAC GTAACGTAGCATATGATGTATAATAGAGTATACCCGTTACTTAAAAAGAAGTCTGAAATGTTCGTTTTTGTGGAAA TTTGTGGCTGTATTTGATTGATATGTGCTTCTTCTGATTCTTGCTAATTTCCAACCATATTGAATAAATGTGATC AAGTCA

><subunit 1 of 1, 737 aa, 1 stop

><MW: 78475, pI: 5.09, NX(S/T): 11

MQPRRAQAPGAQLLPALALLLLLLGAGPRGSSLANPVPAAPLSAPGPCAAQPCRNGGVCTSR
PEPDPQHPAPAGEPGYSCTCPAGISGANCQLVADPCASNPCHHGNCSSSSSSSDGYLCICN
EGYEGPNCEQALPSLPATGWTESMAPRQLQPVPATQEPDKILPRSQATVTLPTWQPKTGQKV
VEMKWDQVEVIPDIACGNASSNSSAGGRLVSFEVPQNTSVKIRQDATASLILLWKVTATGFQ
QCSLIDGRSVTPLQASGGLVLLEEMLALGNNHFIGFVNDSVTKSIVALRLTLVVKVSTCVPG
ESHANDLECSGKGKCTTKPSEATFSCTCEEQYVCTFCEEYDACQRKPCQNNASCIDANBKQDC
GSNFTCVCLPGYTGELCQSKIDYCILDPCRNGATCISSLSGFTCQCPEGYFGSACEEKVDPC
ASSPCQNNGTCYVDGVHFTCNCSPGFTGPTCAQLIDFCALSPCAHGTCRSVGTSYKCLCDPG
YHGLYCEEEYNECLSAPCLNAATCRDLVNGYECVCLAEYKGTHCELYKDPCANVSCLNGATC
DSDGLNGTCICAPGFTGEECDIDINECDSNPCHHGGSCLDQPNGYNCHCPHGWVGANCEIHL
QWKSGHMAESLTNMPRHSLYIIIGALCVAFILMLIILIVGICRISRIEYQGSSRPAYEEFYN
CRSIDSEFSNAIASIRHARFGKKSRPAMYDVSFIAYEDYSPDDKFLVTLIKTKDL

Signal sequnce.
amino acids 1-28

Transmembrane domain.

amino acids 641-660

N-qlycosylation sites.

N-grycosyracion sites.

amino acids 107-111, 204-208, 208-212, 223-227, 286-290, 361-365, 375-379, 442-446, 549-553, 564-568

Glycosaminoglycan attachment site.

amino acids 320-324

Tyrosine kinase phosphorylation sites.

amino acids 490-498, 674-682

N-myristoylation sites.

amino acids 30-36, 56-62, 57-63, 85-91, 106-112, 203-209, 373-379, 449-455, 480-486, 562-568, 565-571

Amidation site.

amino acids 702-706

Aspartic acid and asparagine hydroxylation site.

amino acids 520-532, 596-608

EGF-like domain cysteine pattern signatures.

amino acids 80-92, 121-133, 336-348, 378-390, 416-428, 454-466, 491-503, 529-541, 567-579, 605-617

CTCTGGAAGGTCACGGCCACAGGATTCCAACAGTGCTCCTCATAGATGGACGAAAGTGTGA
CCCCCCTTTCAGGCTTTCAGGGGGACTGGTCCTCCTGGAGGAGTGCTCGCCTTGGGGAATA
ATCACTTTATTGGTTTTGTGAATGATTCTGTGACTAAGTCTATTGTGGCTTTGCGCTTAACT
CTGGTGGTGAAGGTCAGCACCTGTGTGCCGGGGGAGAGTCACGCAAATGACTTGGAGTGTTC
AGGAAAAGGAAAATGCACCACGAAGCCGTCAGAGGCAACTTTTTCCTGTACCTGTGAGGAGC
AGTACGTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCTTTGCCAAAACAAC
GCGAGCTGTATTGATGCAAATGAAAAGCAAGATGGGAGCAACTTTCACCTGTGTTTGCCTTCC
TGGTTAACTGGAGAGCTTTGCCAACCGAACTGAGATTGGAGCGAACGACCTACACCGAACT
GAGATAGGGGAG

CTCTGGAAGGTCACGGCCACAGGATTCCAACAGTGCTCCCTCATAGATGGACGAAAGTGTGA
CCCCCCTTTCAGGCTTTCAGGGGGACTGGTCCTCCTGGAGGAGATGCTCGCCTTGGGGAATA
ATCACTTTATTGGTTTTGTGAATGATTCTGTGACTAAGTCTATTGTGGCTTTGCGCTTAACT
CTGGTGGTGAAGGTCAGCACCTGTGTGCCGGGGGAGAGTCACGCAAATGACTTGGAGTGTTC
AGGAAAAGGAAAATGCACCACGAAGCCGTCAGAGGCAACTTTTTCCTGTACCTGTGAGGAGC
AGTACGTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCTTTGCCAAAACAAC
GCGAGCTGTATTGATGCAAATGAAAAGCAAGATGGGAGCAACTTTCACCTGTGTTTGCCTTCC
TGGTTATACTGGAGAGCTTTGCCAACCGAACTGAGATTGGAGCGAACGACCTACACCGAACT
GAGATAGGGGAG

GCTGAGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGTAACCTGTGCCTACACCACGCCAG GCCCCCCAGAGCCCTCACCACGCTGGGCGCCCCCAGAGCCCACACCATGCCGGGCACCTAC GCTCCCTCGACCACACTCAGTAGTCCCAGCACCCAGGGCCTGCAAGAGCAGGCACGGGCCCT GATGCGGGACTTCCCGCTCGTGGACGGCCACAACGACCTGCCCCTGGTCCTAAGGCAGGTTT ACCAGAAGGGCTACAGGATGTTAACCTGCGCAATTTCAGCTACGGCCAGACCAGCCTGGAC AGGCTTAGAGATGGCCTCGTGGGCCCCAGTTCTGGTCAGCCTATGTGCCATGCCAGACCCA GGACCGGGATGCCCTGCGCCTCACCCTGGAGCAGATTGACCTCATACGCCGCATGTGTGCCT CCTATTCTGAGCTGGAGCTTGTGACCTCGGCTAAAGCTCTGAACGACACTCAGAAATTGGCC TGCCTCATCGCTGTAGAGGGTGGCCACTCGCTGGACAATAGCCTCTCCATCTTACGTACCTT CTACATGCTGGGAGTGCGCTACCTGACGCTCACCCACACCTGCAACACCCTGGGCAGAGA AAGGTGGTGGCAGAAATGAACCGCCTGGGCATGATGGTAGACTTATCCCATGTCTCAGATGC ${\tt TGTGGCACGGCGGCCCTGGAAGTGTCACAGGCACCTGTGATCTTCTCCCACTCGGCTGCCC}$ GGGGTGTGTGCAACAGTGCTCGGAATGTTCCTGATGACATCCTGCAGCTTCTGAAGAAGAAC GGTGGCGTCGTGATGGTGTCTTTGTCCATGGGAGTAATACAGTGCAACCCATCAGCCAATGT GTCCACTGTGGCAGATCACTTCGACCACATCAAGGCTGTCATTGGATCCAAGTTCATCGGGA TTGGTGGAGATTATGATGGGGCCGGCAAATTCCCTCAGGGGCTGGAAGACGTGTCCACATAC $\tt CCGGTCCTGATAGAGGAGTTGCTGAGTCGTGGCTGGAGTGAGGAAGAGCTTCAGGGTGTCCT$ TCGTGGAAACCTGCTGCGGGTCTTCAGACAAGTGGAAAAGGTACAGGAAGAAAACAAATGGC AAAGCCCCTTGGAGGACAAGTTCCCGGATGAGCAGCTGAGCAGTTCCTGCCACTCCGACCTC TCACGTCTGCGTCAGAGACAGAGTCTGACTTCAGGCCAGGAACTCACTGAGATTCCCATACA CTGGACAGCCAAGTTACCAGCCAAGTGGTCAGTCTCAGAGTCCTCCCCCCACATGGCCCCAG $\mathsf{TCCTTGCAGTTGTGGCCACCTTCCCAGTCCTTATTCTGTGGCTC \\ \mathbf{TGA} \\ \mathsf{TGACCCAGTTAGTCC}$ TGCCAGATGTCACTGTAGCAAGCCACAGACACCCCACAAAGTTCCCCTGTTGTGCAGGCACA AATATTTCCTGAAATAAATGTTTTTGGACATAG

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA35595</pre>

<subunit 1 of 1, 433 aa, 1 stop

<MW: 47787, pI: 6.11, NX(S/T): 5

MPGTYAPSTTLSSPSTQGLQEQARALMRDFPLVDGHNDLPLVLRQVYQKGLQDVNLRNFSYG
QTSLDRLRDGLVGAQFWSAYVPCQTQDRDALRLTLEQIDLIRRMCASYSELELVTSAKALND
TQKLACLIGVEGGHSLDNSLSILRTFYMLGVRYLTLTHTCNTPWAESSAKGVHSFYNNISGL
TDFGEKVVAEMNRLGMMVDLSHVSDAVARRALEVSQAPVIFSHSAARGVCNSARNVPDDILQ
LLKKNGGVVMVSLSMGVIQCNPSANVSTVADHFDHIKAVIGSKFIGIGGDYDGAGKFPQGLE
DVSTYPVLIEELLSRGWSEEELQGVLRGNLLRVFRQVEKVQEENKWQSPLEDKFPDEQLSSS
CHSDLSRLRQRQSLTSGQELTEIPIHWTAKLPAKWSVSESSPHMAPVLAVVATFPVLILWL

N-glycosylation sites.

amino acids 58-62, 123-127, 182-186, 273-277

N-myristoylation sites.

amino acids 72-78, 133-139, 234-240, 264-270, 334-340, 389-395

Renal dipeptidase active site.

amino acids 134-157

AAAACCTATAAATATTCCGGATTATTCATACCGTCCCACCATCGGGCGCGGATCCGCGGCCG CGAATTCTAAACCAACATGCCGGGCACCTACGCTCCCTCGACCACACTCAGTAGTCCCAGCA AACGACCTGCCCTGGTCCTAAGGCAGGTTTACCAGAAAGGGCTACAGGATGTTAACCTGCG CAATTTCAGCTACGGCCAGACCAGCCTGGACAGGCTTAGAGATGGCCTCGTGGGCGCCCAGT TCTGGTCAGCCTATGTGCCATGCCAGACCCAGGACCGGGATGCCCTGCGCCTCACCCTGGAG CAGATTGACCTCATACGCCGCATGTGTGCCTCCTATTCTGAGCTGGAGCTTGTGACCTCGGC ${\tt TAAAGCTCTGAACGACACTCAGAAATTGGCCTGCCTCATCGGTGTAGAGGGTGGCCACTCGC}$ TGGACAATAGCCTCTCCATCTTACGTACCTTCTACATGCTGGGAGTGCGCTACCTGACGCTC ACCCACACCTGCAACACCCTGGGCAGAGAGCTCCGCTAAGGGCGTCCACTCCTTCTACAA CAACATCAGCGGGCTGACTGACTTTGGTGAGAAGGTGGTGGCAGAAATGAACCGCCTGGGCA TGATGGTAGACTTATCCCATGTCTCAGATGCTGTGGCACGGCGGGCCCTGGAAGTGTCACAG GCACCTGTGATCTTCTCCCACTCGGCTGCCCGGGGTGTGTGCAACAGTGCTCGGAATGTTCC TGATGACATCCTGCAGCTTCTGAAGAAGAACGGTGGCGTCGTGATGGTGTCTTTTGTCCATGG GAGTAATACAGTGCAACCCATCAGCCAATGTGTCCACTGTGGCAGATCACTTCGACCACATC AAGGCTGTCATTGGATCCAAGTTCATCGGGATTGGTGGAGATTATGATGGGGCCGGCAAATT CCCTCAGGGGCTGGAAGACGTGTCCACATACCCGGTCCTGATAGAGGAGTTGCTGAGTCGTG GCTGGAGTGAGGAAGACTTCAGGGTGTCCTTCGTGGAAACCTGCTGCGGGTCTTCAGACAA GTGGAAAAGGTACAGGAAGAAACAAATGGCAAAGCCCCTTGGAGGACAAGTTCCCGGATGA GCAGCTGAGCAGTTCCTGCCACTCCGACCTCTCACGTCTGCGTCAGAGACACAGAGTCTGACTT CAGGCCAGGAACTCACTGAGATTCCCATACACTGGACAGCCAAGTTACCAGCCAAGTGGTCA GTCTCAGAGTCCTCCCCCCACCCTGACAAAACTCACACATGCCCACCGTGCCCAGCACCTGA ACTCCTGGGGGACCGTCAGTCTTCCTCTTCCCCCCAAAACCCAAGGACACC

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA35872
><subunit 1 of 1, 446 aa, 0 stop</pre>

><NX(S/T): 5

MPGTYAPSTTLSSPSTQGLQEQARALMRDFPLVDGHNDLPLVLRQVYQKGLQDVNLRNFSYG
QTSLDRLRDGLVGAQFWSAYVPCQTQDRDALRLTLEQIDLIRRMCASYSELELVTSAKALND
TQKLACLIGVEGGHSLDNSLSILRTFYMLGVRYLTLTHTCNTPWAESSAKGVHSFYNNISGL
TDFGEKVVAEMNRLGMMVDLSHVSDAVARRALEVSQAPVIFSHSAARGVCNSARNVPDDILQ
LLKKNGGVVMVSLSMGVIQCNPSANVSTVADHFDHIKAVIGSKFIGIGGDYDGAGKFPQGLE
DVSTYPVLIEELLSRGWSEEELQGVLRGNLLRVFRQVEKVQEENKWQSPLEDKFPDEQLSSS
CHSDLSRLRQRQSLTSGQELTEIPIHWTAKLPAKWSVSESSPHPDKTHTCPPCPAPELLGGP
SVFLFPPKFKDT

CGCCCAGCGACGTGCGGGCGGCCTGGCCCGCGCCCTCCCGCGCCCGGCCTGCGTCCCGCGCC CTGCGCCACCGCCGAGCCGCAGCCCGCGCGCCCCCGGCAGCGCCGGCCCCATGCCC GTCCCCAGGATCCCACGCTTCTCATCGGCTCCTCCCTGCTGGCCACCTGCTCAGTGCACGGA TGAGCTCTCCCGTGTACTCAACGCCTCCACCTTGGCTCTGGCCCTGGCCAACCTCAATGGGT TCCTGCCTCTATGTTGGCCTGCCCCCAGAGAAACCCGTCAACATCAGCTGCTGGTCCAAGAA CATGAAGGACTTGACCTGCCGCTGGACGCCCAGGGGCCCACGGGGAGACCTTCCTCCACACCA ACTACTCCCTCAAGTACAAGCTTAGGTGGTATGGCCAGGACACACATGTGAGGAGTACCAC ACAGTGGGGCCCCACTCCTGCCACATCCCCAAGGACCTGGCTCTCTTTACGCCCTATGAGAT $\tt CTGGGTGGAGGCCACCAACCGCCTGGGCTCTGCCCGCTCCGATGTACTCACGCTGGATATCC$ TGGATGTGGTGACCACGGACCCCCGCCGACGTGCACGTGAGCCGCGTCGGGGGCCTGGAG GACCAGCTGAGCGTGCGCTGGGTGTCGCCACCCGCCCTCAAGGATTTCCTCTTTCAAGCCAA ATACCAGATCCGCTACCGAGTGGAGGACAGTGTGGACTGGAAGGTGGTGGACGATGTGAGCA ACCAGA CCTCCTGCCGCCTGGCCGGCCTGA AACCCGGCACCGTGTA CTTCGTGCA AGTGCGC AAGAAGCACGCGTACTGCTCCAACCTCAGCTTCCGCCTCTACGACCAGTGGCGAGCCTGGAT GCAGAAGTCGCACAAGACCCGCAACCAGGACGAGGGGATCCTGCCCTCGGGCAGACGGGGCA CGCAGAGGCCGAACCCAAACTGGGGCCACCTCTGTACCCTCACTTCAGGGCACCTGAGCCACCCTCAGCAGGAGCTGGGGTGGCCCCTGAGCTCCAACGGCCATAACAGCTCTGACTCCCACGT CTAGAACCCCTGCCAGGGCTGGGGGTGAGAAGGGGAGTCATTACTCCCCATTACCTAGGGCC ΔΑΛΑΛΑΛΑΛΑΛΑΛΑΥ ΘΑΘΕΡΑΙΑ ΤΑ ΕΕΡΑΙΚΑ ΤΟ ΕΕΡΑΙΚΑ Τ

><ss.DNA38113

><subunit 1 of 1, 422 aa, 1 stop

><MW: 46302, pI: 9.42, NX(S/T): 6

MPAGRRGPAAQSARRPPPLLPLLLLLCVLGAPRAGSGAHTAVISPQDPTLLIGSSLLATCSV
HGDPPGATAEGLYWTLNGRRLPPELSRVLNASTLALALANLNGSRQRSGDNLVCHARDGSIL
AGSCLYVGLPPEKPVNISCWSKNMKDLTCRWTPGAHGETFLHTNYSLKYKLRWYGQDNTCEE
YHTVGPHSCHIPKDLALFTPYEIWVEATNRLGSARSDVLTLDILDVVTTDPPPDVHVSRVGG
LEDQLSVRWVSPPALKDFLFQAKYQIRYRVEDSVDWKVVDDVSNQTSCRLAGLKPGTVYFVQ
VRCNPFGIYGSKKAGIWSEWSHPTAASTPRSERPGPGGGACEPRGGEPSSGPVRRELKQFLG
WLKKHAYCSNLSFRLYDOWRAWMOKSHKTRNODEGILPSGRRGTARGPAR

Signal sequence.

amino acids 1-30

Transmembrane domain.

amino acids 44-61

N-glycosylation sites.

amino acids 92-96, 104-108, 140-144, 168-172, 292-296, 382-386

 $\mathtt{cAMP-}$ and $\mathtt{cGMP-} \mathtt{dependent}$ protein kinase phosphorylation site.

amino acids 413-417

N-myristoylation sites.

amino acids 30-36, 37-43, 73-79, 121-127, 179-185, 218-224, 300-306, 317-323, 320-326, 347-353, 355-361, 407-413

Amidation site.

amino acids 3-7, 79-83, 411-415

Growth factor and cytokines receptors family signature 2.

amino acids 325-331

CCCACGCGTCCGCTGTTTAGATCGAGCAACCCTCTAAAAGCAGTTTAGAGTGGTAAAAAA AAAAAAAACACACCAAACGCTCGCAGCCACAAAAGGGATGAAATTTCTTCTGGACATCCTC CTGCTTCTCCCGTTACTGATCGTCTCCCTAGAGTCCTTCGTGAAGCTTTTTATTCCTAA GAGGAGAAAATCAGTCACCGGCGAAATCGTGCTGATTACAGGAGCTGGGCATGGAATTGGGA CATGGACTGGAGAAACAGCTGCCAAATGCAAGGGACTGGGTGCCAAGGTTCATACCTTTGT GGTAGACTGCAGCAACCGAGAAGATATTTACAGCTCTGCAAAGAAGGTGAAGGCAGAAATTG CAAGATCCTCAGATTGAAAAGACTTTTGAAGTTAATGTACTTGCACATTTCTGGACTACAAA GGCATTTCTTCCTGCAATGACGAAGAATAACCATGGCCATATTGTCACTGTGGCTTCGGCAG TTTCATAAAACTTTGACAGATGAACTGGCTGCCTTACAAATAACTGGAGTCAAAACAACATG TCTGTGTCCTAATTCGTAAACACTGGCTTCATCAAAAATCCAAGTACAAGTTTGGGACCCA CCTGGCAGTTTTAAAACGAAAAATCAGTGTTAAGTTTGATGCAGTTATTGGATATAAAATGA AAGCGCAATAAGCACCTAGTTTTCTGAAAACTGATTTACCAGGTTTAGGTTGATGTCATCTA ATAGTGCCAGAATTTTAATGTTTGAACTTCTGTTTTTTTCTAATTATCCCCCATTTCTTCAATA TCATTTTGAGGCTTTGGCAGTCTTCATTTACTACCACTTGTTCTTTAGCCAAAAGCTGATT ACATATGATATAAACAGAGAAATACCTTTAGAGGTGACTTTAAGGAAAATGAAGAAAAAGAA CCAAAATGACTTTATTAAAATAATTTCCAAGATTATTTGTGGCTCACCTGAAGGCTTTGCAA AATTTGTACCATAACCGTTTATTTAACATATATTTTTATTTTTGATTGCACTTAAATTTTGT TGAAGGACTATATCTAGTGGTATTTCACAATGAATATCATGAACTCTCAATGGGTAGGTTTC ATCCTACCCATTGCCACTCTGTTTCCTGAGAGATACCTCACATTCCAATGCCAAACATTTCT GCACAGGGAAGCTAGAGGTGGATACACGTGTTGCAAGTATAAAAGCATCACTGGGATTTAAG

</usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA34436
<subunit 1 of 1, 300 aa, 1 stop
<MW: 32964, pI: 9.52, NX(S/T): 1</pre>

MKFLLDILLLPLLIVCSLESFVKLFIPKRRKSVTGEIVLITGAGHGIGRLTAYEFAKLKSK LVLWDINKHGLEETAAKCKGLGAKVHTFVVDCSNREDIYSSAKKVKAEIGDVSILVNNAGVV YTSDLFATQDPQIEKTFEVNVLAHFWTTKAFLPAMTKNNHGHIVTVASAAGHVSVPFLLAYC SSKFAAVGFHKTLTDELAALQITGVKTTCLCPNFVNTGFIKNPSTSLGPTLEPEEVVNRLMH GILTEQKMIFIPSSIAFLTTLERILPERFLAVLKRKISVKFDAVIGYKMKAQ

Signal sequence.

amino acids 1-19

Transmembrane domain.

amino acids 170-187

cAMP- and cGMP-dependent protein kinase phosphorylation sites. amino acids 30-34, 283-287

N-myristoylation sites.

amino acids 43-49, 72-78, 122-128, 210-216

GACTAGTTCTCTTGGAGTCTGGGAGGAGGAAAGCGGAGCCGGCAGGGAGCGAACCAGGACTG GGGTGACGCCAGGGCAGGGGCGCCTGGCCGGGGAGAAGCGCGGGGGCTGGAGCACCACAA CTGGAGGGTCCGGAGTAGCGAGCGCCCCGAAGGAGGCCATCGGGGAGCCGGGAGGGGGGACT GCGAGAGGACCCCGGCGTCCGGGCTCCCGGTGCCAGCGCTATGAGGCCACTCCTCGTCCTGC TGCTCCTGGGCCTGGCCGCCCCCACTGGACGACAACAAGATCCCCAGCCTCTGC CGATGGCCGCGACGCCGCGCGCCCCGGGGCTCCGGGAGAAAGGCGAGGCGAGGCCGCA GGCCGGGACTGCCGGGACCTCGAGGGGACCCCGGGCCGCGAGGAGAGGCGGGACCCGCGGG CCCACCGGGCCTGCCGGGGACTGCTCGGTGCCTCCGCGATCCGCCTTCAGCGCCAAGCGCTC CGAGAGCCGGGTGCCTCCGCCGTCTGACGCACCCTTGCCCTTCGACCGCGTGCTGGTGAACG AGCAGGGACATTACGACGCCGTCACCGGCAAGTTCACCTGCCAGGTGCCTGGGGTCTACTAC TTCGCCGTCCATGCCACCGTCTACCGGGCCAGCCTGCAGTTTGATCTGGTGAAGAATGGCGA ATTGCCATCTATGCCAGCATCAAGACAGCACCTTCTCCGGATTTCTGGTGTACTCCGA CTGGCACAGCTCCCCAGTCTTTGCTTAGAAGGAGGGTGTGAGGCTGACAACCAGGTCATCCAGGAGGGCTGGCCCCCTGGAATATT GTGAATGACTAGGGAGGTGGGGTAGAGCACTCTCCGTCCTGCTGCTGCCAAGGAATGGGAAC AGTGGCTGTCTGCGATCAGGTCTGGCAGCATGGGGCAGTGGCTGGATTTCTGCCCAAGACCA GAGGAGTGTGCTGCTGCAAGTGTAAGTCCCCCAGTTGCTCTGGTCCAGGAGCCCACGGT GGGGTGCTCTCCTGGTCCTCTGCTTCTCTGGATCCTCCCCACCCCCTCCTGCTCCTGGG ΑΑΑΑΑΑΑΑΑΑΑ

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA40592

><subunit 1 of 1, 243 aa, 1 stop

><MW: 25298, pI: 6.44, NX(S/T): 0

MRPLLVLLLLGLAAGSPPLDDNKIPSLCPGHPGLPGTPGHHGSQGLPGRDGRDGRDGAPGAP GEKGEGGRPGLPGPRGDPGPRGEAGPAGPTGPAGECSVPPRSAFSAKRSESRVPPPSDAPLP FDRVLVNEQGHYDAVTGKFTCQVPGVYYFAVHATVYRASLQFDLVKNGESIASFFQFFGGWP KPASLSGGAMVRLEPEDQVWVQVGVGDYIGIYASIKTDSTFSGFLVYSDWHSSPVFA

Signal sequence.

amino acids 1-15

N-myristoylation sites.

amino acids 11-17, 68-74, 216-222

Cell attachment sequence.

amino acids 77-80

AAACAAGCCGGGTGGCTGAGCCAGGCTGTGCACGGAGCACCTGACGGGCCCAACAGACCCAT GCTGCATCCAGAGACCTCCCCTGGCCGGGGGCATCTCCTGGCTGTGCTCCTTG GCACCACCTGGGCAGAGGTGTGGCCACCCCAGCTGCAGGAGCAGGCTCCGATGGCCGGAGCC CTGAACAGGAAGGAGTTTCTTGCTCCTCCCTGCACAACCGCCTGCGCAGCTGGGTCCA GCCCCTGCGGCTGACATGCGGAGGCTGGACTGGACTGACAGCCTGGCCCAACTGGCTCAAG CCAGGGCAGCCTCTGTGGAATCCCAACCCCGAGCCTGGCATCCGGCCTGTGGCGCACCCTG CAAGTGGGCTGGAACATGCAGCTGCCCGCGGGCTTGGCGTCCTTTGTTGAAGTGGTCAG CCTATGCTTTGCAGAGGGGCAGCGGTACAGCCACGCGGCAGGAGAGTGTGCTCGCAACGCCA CTGTGCTCTGCAGGCCAGACAGCGATAGAAGCCTTTGTCTGTGCCTACTCCCCCGGAGGCAA CAGCCAGTGTCTCAGGCTGCTTCAAAGCCTGGGACCATGCAGGGGGGGCTCTGTGAGGTCCCC AGGAATCCTTGTCGCATGAGCTGCCAGAACCATGGACGTCTCAACATCAGCACCTGCCACTG $\tt CCACTGTCCCCTGGCTACACGGGCAGATACTGCCAAGTGAGGTGCAGCCTGCAGTGTGTGC$ ACGCCGGTTCCGGGAGGAGGAGTCTCTTGTGACATCGGCTACGGGGGAGCCCAG TGTGCCACCAAGGTGCATTTTCCCTTCCACACCTGTGACCTGAGGATCGACGGAGACTGCTT CATGGTGTCTTCAGAGGCAGACACCTATTACAGAGCCAGGATGAAATGTCAGAGGAAAGGCG GGGTGCTGGCCCAGAT CAAGAGCCAGAAAGTGCAGGACATCCTCGCCTTCTATCTGGGCCGC CTGGAGACCACCAACGAGGTGACTGACAGTGACTTCGAGACCAGGAACTTCTGGATCGGGCT CACCTACAAGACCGCCAAGGACTCCTTCCGCTGGGCCACAGGGGAGCACCAGGCCTTCACCA GTTTTGCCTTTGGGCAGCCTGACAACCACGGGCTGGTGTGGCTGAGTGCTGCCATGGGGTTT GGCAACTGCGTGGAGCTGCAGGCTTCAGCTGCCTTCAACTGGAACGACCAGCGCTGCAAAAC $\tt CCGAAACCGTTACATCTGCCAGTTTGCCCAGGAGCACATCTCCCGGTGGGGCCCAGGGTCCT$ **GAGGCCTGACCACATGGCTCCCTCGCCTGCCCTGGGAGCACCGGCTCTGCTTACCTGTCTGC** CCACCTGTCTGGAACAAGGGCCAGGTTAAGACCACATGCCTCATGTCCAAAGAGGTCTCAGA CCTTGCACAATGCCAGAAGTTGGGCAGAGAGAGGCAGGGAGGCCAGTGAGGGCCAGGGAGTG AGTGTTAGAAGAAGCTGGGGCCCTTCGCCTGCTTTTGATTGGGAAGATGGGCTTCAATTAGA TGGCGAAGGAGACACCGCCAGTGGTCCAAAAAGGCTGCTCTCTTCCACCTGGCCCAGAC CCTGTGGGGCAGCGGAGCTTCCCTGTGGCATGAACCCCACGGGGTATTAAATTATGAATCAG CTGAAAAAAAAAAAAA

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44176

<subunit 1 of 1, 455 aa, 1 stop

<MW: 50478, pI: 8.44, NX(S/T): 2

MLHPETSPGRGHLLAVLLALLGTTWAEVWPPQLQEQAPMAGALNRKESFLLLSLHNRLRSWV QPPAADMRRLDWSDSLAQLAQARAALCGIPTPSLASGLWRTLQVGWNMQLLPAGLASFVEVV SLWFAEGQRYSHAAGECARNATCTHYTQLVWATSSQLGCGRHLCSAGQTAIEAFVCAYSPGG NWEVNGKTIIPYKKGAWCSLCTASVSGCFKAWDHAGGLCEVPRNPCRMSCQNHGRLNISTCH CHCPPGYTGRYCQVRCSLQCVHGRFREEECSCVCDIGYGGAQCATKVHFPFHTCDLRIDGDC FMVSSEADTYYRARMKCQRKGGVLAQIKSQKVQDILAFYLGRLETTNEVTDSDFETRNFWIG LTYKTAKDSFRWATGEHQAFTSFAFGQPDNHGLVWLSAAMGFGNCVELQASAAFNWNDQRCK

Signal sequence.

amino acids 1-26

Transmembrane domain.

TRNRYICQFAQEHISRWGPGS

amino acids 110-124

N-glycosylation sites.

amino acids 144-148, 243-247

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 45-49

N-myristoylation sites.

amino acids 22-28, 99-105, 131-137, 201-207, 213-219, 287-293, 288-294, 331-337, 398-404

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 204-215

EGF-like domain cysteine pattern signature.

amino acids 249-261, 280-292

C-type lectin domain signature.

amino acids 417-442

CGGACGCGTGGGCTGCAAAGCGTGTCCCGCCGGGTCCCGAGCGTCCCGCGCCCT $\tt CGCCCGCC{\color{red} ATG}CTCCTGCTGCGGGCTGTGCCTGGGGCTGTCCCTGTGTGTGGGGTCGCA$ GGAAGAGGCGCAGAGCTGGGGCCACTCTTCGGAGCAGGATGGACTCAGGGTCCCGAGGCAAG TCAGACTGTTGCAGAGGCTGAAAACCAAACCTTTGATGACAGAATTCTCAGTGAAGTCTACC ATCATTTCCCGTTATGCCTTCACTACGGTTTCCTGCAGAATGCTGAACAGAGCTTCTGAAGA CCAGGACATTGAGTTCCAGATGCAGATTCCAGCTGCAGCTTTCATCACCAACTTCACTATGC GTAAAAGAAAAGGAATAAAACCACAGAAGAAAATGGAGAAGAAGGGGACTGAAATATTCAG AGCTTCTGCAGTGATTCCCAGCAAGGACAAAGCCGCCTTTTTCCTGAGTTATGAGGAGCTTC TGCAGAGGCGCCTGGGCAAGTACGAGCACAGCATCAGCGTGCGGCCCCAGCAGCTGTCCGGG AGGCTGAGCGTGACTGAATATCCTGGAGAGCGCGGGCATCCCTGGAGGTGCTGCC GCTTCACAACAGCAGGCAGAGGGGCAGTGGGCCGCGGGGAAGATGATTCTGGGCCTCCCCCAT CTACTGTCATTAACCAAAATGAAACATTTGCCAACATAATTTTTAAACCTACTGTAGTACAA CAAGCCAGGATTGCCCAGAATGGAATTTTGGGAGACTTTATCATTAGATATGACGTCAATAG AGAACAGAGCATTGGGGACATCCAGGTTCTAAATGGCTATTTTGTGCACTACTTTGCTCCTA AAGACCTTCCTCTTTACCCAAGAATGTGGTATTCGTGCTTGACAGCAGTGCTTCTATGGTG GGAACCAAACTCCGGCAGACCAAGGATGCCCTCTTCACAATTCTCCATGACCTCCGACCCCA GGACCGTTTCAGTATCATTGGATTTTCCAACCGGATCAAAGTATGGAAGGACCACTTGATAT CAGTCACTCCAGACAGCATCAGGGATGGGAAAGTGTACATTCACCATATGTCACCCACTGGA GGCACAGACATCAACGGGGCCCTGCAGAGGGCCCATCAGGCTCCTCAACAAGTACGTGGCCCA CAGTGGCATTGGAGACCGGAGCGTGTCCCTCATCGTCTTCCTGACGGATGGGAAGCCCACGG TCGGGGAGACGCACACCCTCAAGATCCTCAACAACACCCGAGGGCGCCGAGGCCAAGTC TGCATCTTCACCATTGGCATCGGCAACGACGTGGACTTCAGGCTGCTGGAGAAACTGTCGCT GGAGAACTGTGGCCTCACACGGCGCGTGCACGAGGAGGAGGACGCAGGCTCGCAGCTCATCG GGTTCTACGATGAAATCAGGACCCCGCTCCTCTCTGACATCCGCATCGATTATCCCCCCAGC TCAGTGGTGCAGGCCACCAAGACCCTGTTCCCCAACTACTTCAACGGCTCGGAGATCATCAT TGCGGGGAAGCTGGTGGACAGGAAGCTGGATCACCTGCACGTGGAGGTCACCGCCAGCAACA GTAAGAAATTCATCATCCTGAAGACAGATGTGCCTGTGCGGCCTCAGAAGGCAGGGAAAGAT $\tt CTGGAGCTACCTCACCACAAAGGAGCTGCTGAGCTCCTGGCTGCAAAGTGACGATGAACCGG$ AGAAGGAGCGGCTGCGGCCCAGGCCCTGGCTGTGAGCTACCGCTTCCTCACTCCC CATGTCGGCTGCCATGGGACCCGAACCGGTGGTGCAGAGCGTGCGAGGAGCTGGCACGCAGC GCAAGCCAGGAAGACGGCCCTCACCAGACACCATGTCTGCTGGCACCTTGATCTTGGACCTC

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44192
<subunit 1 of 1, 694 aa, 1 stop</pre>

<MW: 77400, pI: 9.54, NX(S/T): 6

MLLLLGLCLGLSLCVGSQEEAQSWGHSSEQDGLRVPRQVRLLQRLKTKPLMTEFSVKSTIIS
RYAFTTVSCRMLNRASEDQDIEFQMQIPAAAFITNFTMLIGDKVYQGEITEREKKSGDRVKE
KRNKTTEENGEKGTEIFRASAVIPSKDKAAFFLSYEELLQRRLGKYEHSISVRPQQLSGRLS
VDVNILESAGIASLEVLPLHNSRQRGSGRGEDDSGPPPSTVINQNETFANIIFKPTVVQQAR
IAQNGILGDFIIRYDVNREQSIGDIQVLNGYFVHYFAPKDLPPLPKNVVFVLDSSASMVGTK
LRQTKDALFTILHDLRPQDRFSIIGFSNRIKVWKDHLISVTPDSIRDGKVYIHHMSPTGGTD
INGALQRAIRLLNKYVAHSGIGDRSVSLIVFLTDGKPTVGETHTLKILNNTREAARGQVCIF
TIGIGNDVDFRLLEKLSLENCGLTRRVHEEEDAGSQLIGFYDEIRTPLLSDIRIDYPPSSVV
QATKTLFPNYFNGSEIIIAGKLVDRKLDHLHVEVTASNSKKFIILKTDVPVRPQKAGKDVTG
SPRPGGDGEGDTNHIERLWSYLTTKELLSSWLQSDDEPEKERLRQRAQALAVSYRFLTPFTS
MKLRGPVPRMDGLEEAHGMSAAMGPEPVVQSVRGAGTQPGPLLKKPNSVKKKQNKTKKRHGR

Signal sequence.

amino acids 1-14

N-glycosylation sites.

amino acids 97-101, 127-131, 231-235, 421-425, 508-512, 674-678

Glycosaminoglycan attachment sites.

amino acids 213-217, 391-395

N-myristoylation sites.

amino acids 6-12, 10-16, 212-218, 370-376, 632-638, 638-644

CACTGATCCCCACAGGTGATGGGCAGAATCTGTTTACGAAAGACGTGACAGTGATCGAGGGA GAGGTTGCGACCATCAGTTGCCAAGTCAATAAGAGTGACGACTCTGTGATTCAGCTACTGAA TGCTGAATTTTTCTAGCAGTGAACTCAAAGTATCATTGACAAACGTCTCAATTTCTGATGAA GGAAGATACTTTTGCCAGCTCTATACCGATCCCCCACAGGAAAGTTACACCACCATCACAGT CCTGGTCCCACCACGTAATCTGATGATCGATATCCAGAAAGACACTGCGGTGGAAGGTGAGG AGATTGAAGTCAACTGCACTGCTATGGCCAGCCAGCCACGACTATCAGGTGGTTCAAA GGGAACACAGAGCTAAAAGGCAAATCGGAGGTGGAAGAGTGGTCAGACATGTACACTGTGAC CAGTCAGCTGATGCTGAAGGTGCACAAGGAGGACGATGGGGTCCCAGTGATCTGCCAGGTGG AGCACCCTGCGGTCACTGGAAACCTGCAGACCCAGCGGTATCTAGAAGTACAGTATAAGCCT CAAGTGCACATTCAGATGACTTATCCTCTACAAGGCTTAACCCGGGAAGGGGACGCCCTTGA GTTAACATGTGAAGCCATCGGGAAGCCCCAGCCTGTGATGGTAACTTGGGTGAGAGTCGATG ATGAAATGCCTCAACACGCCGTACTGTCTGGGCCCAACCTGTTCATCAATAACCTAAACAA ACAGATAATGGTACATACCGCTGTGAAGCTTCAAACATAGTGGGGGAAAGCTCACTCGGATTA CCACCACCACCACCACCATCCTTACCATCATCACAGATTCCCGAGCAGGTGAAGAAGGC TCGATCAGGGCAGTGGATCATGCCGTGATCGGTGGCGTCGTGGCGGTGGTGGTGTTCGCCAT GCTGTGCTTGCTCATCATTCTGGGGCGCTATTTTGCCAGACATAAAGGTACATACTTCACTC ATGAAGCCAAAGGAGCCGATGACGCAGCAGACGCAGACACCTATAATCAATGCAGAAGGA GGACAGAACAACTCCGAAGAAAAGAAGAGTACTTCATC**TAG**ATCAGCCTTTTTGTTTCAAT GAGGTGTCCAACTGGCCCTATTTAGATGATAAAGAGACAGTGATATTGG

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39518

<subunit 1 of 1, 440 aa, 1 stop

<MW: 48240, pI: 4.93, NX(S/T): 7

MASVVLPSGSQCAAAAAAAAPPGLRLLLLFSAAALIPTGDGQNLFTKDVTVIEGEVATISC
QVNKSDDSVIQLLNPNRQTIYFRDFRPLKDSRFQLLNFSSSELKVSLTNVSISDEGRYFCQL
YTDPPQESYTTITVLVPPRNLMIDIQKDTAVEGEEIEVNCTAMASKPATTIRWFKGNTELKG
KSEVEEWSDMYTVTSQLMLKVHKEDDGVPVICQVEHPAVTGNLQTQRYLEVQYKPQVHIQMT
YPLQGLTREGDALELTCEAIGKPQPVMVTWVRVDDEMPQHAVLSGPNLFINNLNKTDNGTYR
CEASNIVGKAHSDYMLYVYDPPTTIPPPTTTTTTTTTTTTTLTIITITDSRAGEEGSIRAVDH
AVIGGVVAVVVFAMLCLLIILGRYFARHKGTYFTHEAKGADDAADADTAIINAEGGQNNSEE

KKEYFI

Signal sequence.

amino acids 1-36

Transmembrane domain.

amino acids 372-393

N-glycosylation sites.

amino acids 65-69, 99-103, 111-115, 163-167, 302-306, 306-310, 430-434

Tyrosine kinase phosphorylation sites.

amino acids 233-240, 319-328

N-myristoylation sites.

amino acids 9-15, 227-233, 307-313, 365-371, 376-382, 402-408, 411-417, 427-433, 428-432

GGGGCGGGTGGACGCGGACTCGAACGCAGTTGCTTCGGGACCCAGGACCCCCTCGGGCCCGA $\texttt{CCGGGACAGAAG} \underline{\textbf{ATG}} \texttt{TGCTCCAGGGTCCCTCTGCTGCTGCTGCTGCTGCTACTGGCCCT}$ GCACTGCCCGCCAGGGGACCACGGTGCCCCGAGACGTGCCACCCGACACGGTGGGGCTGTAC GTCTTTGAGAACGGCATCACCATGCTCGACGCAAGCAGCTTTGCCGGCCTGCCGGGCCTGCA GCTCCTGGACCTGTCACAGAACCAGATCGCCAGCCTGCGCCTGCCCCGCCTGCTGCTGCTGC ACCTCAGCCACAACAGCCTCCTGGCCCTGGAGCCCGGCATCCTGGACACTGCCAACGTGGAG GCGCTGCGGCTGGTCTGGGGCTGCAGCAGCTGGACGAGGGGCTCTTCAGCCGCTTGCG CAACCTCCACGACCTGGATGTGTCCGACAACCAGCTGGAGCGAGTGCCACCTGTGATCCGAG GCCTCCGGGGCCTGACGCCCTGCGGCTGGCCGGCAACACCCGCATTGCCCAGCTGCGGCCC GAGGACCTGCCGGCCTGCCCTGCAGGAGCTGGATGTGAGCAACCTAAGCCTGCAGGC CCTGCCTGGCGACCTCTCGGGCCTCTTCCCCCGCCTGCGGCTGCTGGCAGCTGCCCGCAACC CCTTCAACTGCGTGTGCCCCCTGAGCTGGTTTGGCCCCTGGGTGCGCGAGAGCCACGTCACA CTGGCCAGCCCTGAGGAGACGCGCTGCCACTTCCCGCCCAAGAACGCTGGCCGGCTGCTCCT GGAGCTTGACTACGCCGACTTTGGCTGCCCAGCCACCACCACCACCACCACAGCCACACCACCA CGAGGCCCGTGGTGCGGGAGCCCACAGCCTTGTCTTCTAGCTTGGCTCCTACCTGGCTTAGC CCCACAGGGCCGGCCACTGAGGCCCCAGCCGCCTCCACTGCCCCACCGACTGTAGGGCC TGTCCCCCAGCCCCAGGACTGCCCACCGTCCACCTGCCTCAATGGGGGCACATGCCACCTGG GGACACGGCACCACCTGGCGTGCTTGTGCCCCGAAGGCTTCACGGGCCTGTACTGTGAGAGC CAGATGGGGCAGGGCACACGCCCAGCCCTACACCAGTCACGCCGAGGCCACCACGGTCCCT GACCCTGGGCATCGAGCCGGTGAGCCCCACCTCCCTGCGCGTGGGGCTGCAGCGCTACCTCC AGGGGAGCTCCGTGCAGCTCAGGAGCCTCCGTCTCACCTATCGCAACCTATCGGGCCCTGAT AAGCGGCTGGTGACGCTGCGACTGCCTGCCTCGCTGAGTACACGGTCACCCAGCTGCG AGGAGGCCTGCGGGGAGGCCCATACACCCCCAGCCGTCCACTCCAACCACGCCCCAGTCACC CGCGCTGCCTGCGGTGGGGCAGCCTACTGTGTGCGGCGGGGGGGCCATGGCAGCAGCGG CCCTTGGAGCCAGGCCCGAAGGCAACAGAGGGCGGTGGAGAGGCCCTGCCCAGCGGGTCTGA $\texttt{CCTACATC} \underline{\textbf{TAA}} \texttt{GCCAGAGAGAGACAGGGCCAGCTGGGGCCGGGCTCTCAGCCAGTGAGATGAGATGGCCAGTGAGATGAGATGGCCAGTGAGATGAGATGGCCAGTGAGAGATGGCCAGTGAGATGAGATGGCCAGTGAGATGAGATGGCCAGTGAGATGAGATGAGATGGCCAGTGAGAGATGAGAATGAGATGAGAATGAATGAGAATGAGAATGAGAATGA$ CAGGGCTGTGTGACCACAGCTGGGCCCTGTTCCCTCTGGACCTCGGTCTCCTCATCTGTGAG ATGCTGTGGCCCAGCTGACGAGCCCTAACGTCCCCAGAACCGAGTGCCTATGAGGACAGTGT CCGCCTGCCCTCCGCAACGTGCAGTCCCTGGGCACGGCGGGCCCTGCCATGTGCTGGTAAC AAGCGAAGGAACAAAAGAAACTGGAAAGGAAGATGCTTTAGGAACATGTTTTGCTTTTTAA AATATATATATATATAAAGAGATCCTTTCCCATTTATTCTGGGAAGATGTTTTTCAAACTC AGAGACAAGGACTTTGGTTTTTGTAAGACAAACGATGATATGAAGGCCTTTTGTAAGAAAAA AAAAAAAAAAA

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44804

<subunit 1 of 1, 598 aa, 1 stop

<MW: 63030, pI: 7.24, NX(S/T): 3

MCSRVPLLLPLLLLALGPGVQGCPSGCQCSQPQTVFCTARQGTTVPRDVPPDTVGLYVFEN
GITMLDASSFAGLPGLQLLDLSQNQIASLRLPRLLLLDLSHNSLLALEPG ILDTANVEALRL
AGLGLQQLDEGLFSRLENLHDLDVSDNQLERVPPVIRGLRGLTRLRLAGNTRIAQLRPEDL
GLAALQELDVSNLSLQALPGDLSGLFPRLRLLAAARNPFNCVCPLSWFGPWVRESHVTLASP
EETRCHFPPKNAGRLLLELDYADFGCPATTTTATVPTTRPVVREPTALSSSLAPTWLSPTAP
ATEAPSPPSTAPPTVGPVPQPQDCPPSTCLNGGTCHLGTRHLACLCPEGFTGLYCESQMGQ
GTRPSPTPVTPRPPRSLTLGIEPVSPTSLRVGLQRYLQGSSVQLRSLRLTYRNLSGPDKRLV
TLRLPASLAEYTVTQLRPNATYSVCVMPLGPGRVPGEEACGEAHTPPAVHSNHAPVTQARE
GNLPLLIAPALAAVLLAALAAVGAAYCVRRGRAMAAAAQDKGQVGPGAGPLELEGVKVPLEP
GPKATEGGGEALPSGSECEVELMGFPGPGLQSPLHAKPYI

Signal sequence.

amino acids 1-23

Transmembrane domain.

amino acids 501-522

N-qlycosylation sites.

amino acids 198-202, 425-429, 453-457

Tyrosine kinase phosphorylation site.

amino acids 262-270

N-myristoylation sites.

amino acids 23-29, 27-33, 112-118, 273-279, 519-525, 565-571

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 14-25

EGF-like domain cysteine pattern signature.

amino acids 355-367

Leucine zipper pattern.

amino acids 122-144, 194-216

GGCACTAGGACAACCTTCTTCCCTTCTGCACCACTGCCCGTACCCTTACCCGCCCCGCCACC ${\tt TCCTTGCTACCCCACTCTTGAAACCACAGCTGTTGGCAGGGTCCCCAGCTC} {\tt ATG} {\tt CCAGCCTC}$ ATGGCTCTGCTGACCCAACAAACAGAGCTGCAGAGCCTCAGGAGAGAGGTGAGCCGGCTGCA GGGGACAGGAGGCCCCTCCCAGAATGGGGAAGGGTATCCCTGGCAGAGTCTCCCGGAGCAGA GTTCCGATGCCCTGGAAGCCTGGGAGAATGGGGAGAGATCCCGGAAAAGGAGAGCAGTGCTC ACCCAAAAACAGAAGAAGCAGCACTCTGTCCTGCACCTGGTTCCCATTAACGCCACCTCCAA AGGCCCAAGGATATGGTGTCCGAATCCAGGATGCTGGAGTTTATCTGCTGTATAGCCAGGTC GGAGACTCTATTCCGATGTATAAGAAGTATGCCCTCCCACCCGGACCGGGCCTACAACAGCT GCTATAGCGCAGGTGTCTTCCATTTACACCAAGGGGATATTCTGAGTGTCATAATTCCCCGG GCAAGGGCGAAACTTAACCTCTCTCCACATGGAACCTTCCTGGGGTTTGTGAAACTG<u>TGA</u>TTGAGCTGAGTATATAAAGGAGGGAATGTGCAGGAACAGAGGCATCTTCCTGGGTTTGGCTC CCCGTTCCTCACTTTTCCCTTTTCATTCCCACCCCCTAGACTTTGATTTTACGGATATCTTG CTTCTGTTCCCCATGGAGCTCCG

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA52722

<subunit 1 of 1, 250 aa, 1 stop

<MW: 27433, pI: 9.85, NX(S/T): 2

MPASSPFLLAPKGPPGNMGGPVREPALSVALWLSWGAALGAVACAMALLTQQTELQSLRREV SRLQGTGGPSQNGEGYPWQSLPEQSSDALEAWENGERSRKRRAVLTQKQKKQHSVLHLVPIN ATSKDDSDVTEVMWQPALRRGRGLQAQGYGVRIQDAGVYLLYSQVLFQDVTFTMGQVVSREG QGRQETLFRCIRSMPSHPDRAYNSCYSAGVFHLHQGDILSVIIPRARAKLNLSPHGTFLGFVKL

Signal sequence.

amino acids 1-40

N-glycosylation site.

amino acids 124-128

Tyrosine kinase phosphorylation site.

amino acids 156-164

N-myristoylation site.

amino acids 36-42, 40-46, 179-185, 242-248

Prokaryotic membrane lipoprotein lipid attachment site. amino acids 34-45

CACTTTCTCCCTCTCCTTTACTTTCGAGAAACCGCGCTTCCGCTTCTGGTCGCAGAGAC CCGCCCCCACCCTCTTCTGCACTGCCGTCCTCCGGAAGACCTTTTCCCCTGCTCTGTT TCCTTCACCGAGTCTGTGCATCGCCCCGGACCTGGCCGGGAGGAGGAGGCTTGGCCGGCGGAGA TGCTCTAGGGGCGCGCGGAGGAGCGCCGGCGGGACGGAGGGCCCGGCAGGAAG**ATG**GGC TCCCGTGGACAGGGACTCTTGCTGGCGTACTGCCTGCTCCTTGCCTTTGCCTCTGGCCTGGT CCTGAGTCGTGTGCCCCATGTCCAGGGGGAACAGCAGGAGTGGGAGGGGACTGAGGAGCTGC CGTCGCCTCCGGACCATGCCGAGAGGGCTGAAGAACAACATGAAAAATACAGGCCCAGTCAG GACCAGGGGCTCCCTGCTTCCCGGTGCTTGCGCTGCTGTGACCCCGGTACCTCCATGTACCC GGCGACCGCCGTGCCCCAGATCAACATCACTATCTTGAAAGGGGAGAAGGGTGACCGCGGAG ATCGAGGCCTCCAAGGGAAATATGGCAAAACAGGCTCAGCAGGGGCCAGGGGCCACACTGGA CCCAAAGGGCAGAAGGGCTCCATGGGGGGCCCCTGGGGAGCGGTGCAAGAGCCACTACGCCGC CTTTTCGGTGGGCCGGAAGAAGCCCATGCACAACCACTACTACCAGACGGTGATCTTCG ACACGGAGTTCGTGAACCTCTACGACCACTTCAACATGTTCACCGGCAAGTTCTACTGCTAC GCACATCATGAAGAACGAGGAGGAGGTGGTGATCTTGTTCGCGCAGGTGGGCGACCGCAGCA TCATGCAAAGCCAGAGCCTGATGCTGGAGCTGCGAGAGCAGGACCAGGTGTGGGTACGCCTC TACAAGGGCGAACGTGAGAACGCCATCTTCAGCGAGGAGCTGGACACCTACATCACCTTCAG $\tt TGGCTACCTGGTCAAGCACGCCACCGAGCCC{\color{blue}{TAG}}CTGGCCGGCCACCTCCTTTCCTCTCGCC$ ACCTTCCACCCCTGCGCTGTGCTGACCCCACCGCCTCTTCCCCGATCCCTGGACTCCGACTC CCTGGCTTTGGCATTCAGTGAGACGCCCTGCACACACAGAAAGCCAAAGCGATCGGTGCTCC GAGAACCCTCTGGGACCTTCCGCGGCCCTCTCTGCACACATCCTCAAGTGACCCCGCACGGC GAGACGCGGGTGGCGGCAGGGCGTCCCAGGGTGCGGCACCGCGGCTCCAGTCCTTGGAAATA ATTAGGCAAATTCTAAAGGTCTCAAAAGGAGCAAAGTAAACCGTGGAGGACAAAGAAAAAGGG ACTCTGCTTAAGAGAAGATCCAAAGTTAAAGCTCTGGGGTCAGGGGAGGGGCCGGGGCAGG AAACTACCTCTGGCTTAATTCTTTTAAGCCACGTAGGAACTTTCTTGAGGGATAGGTGGACC CTGACATCCCTGTGGCCTTGCCCAAGGGCTCTGCTGGTCTTTCTGAGTCACAGCTGCGAGGT GATGGGGGCTGGGGCCCCAGGCGTCAGCCTCCCAGAGGGACAGCTGAGCCCCCTGCCTTGGC TCCAGGTTGGTAGAAGCAGCCGAAGGGCTCCTGACAGTGGCCAGGGACCCCTGGGTCCCCCA GGCCTGCAGATGTTTCTATGAGGGGCAGAGCTCCTTGGTACATCCATGTGTGGCTCTGCTCC TATAAAACACCTCAAGCAGCACTGCAGTCTCCCATCTCCTCGTGGGCTAAGCATCACCGCTT $\tt CCACGTGTGTTGGTTGGCAGCAGGCTGATCCAGACCCCTTCTGCCCCACTGCCCT$ CATCCAGGCCTCTGACCAGTAGCCTGAGAGGGGGCTTTTTCTAGGCTTCAGAGCAGGGGAGAG CTGGAAGGGGCTAGAAAGCTCCCGCTTGTCTGTTTCTCAGGCTCCTGTGAGCCTCAGTCCTG AGACCAGAGTCAAGAGGAAGTACACGTCCCAATCACCCGTGTCAGGATTCACTCTCAGGAGC TGGGTGGCAGGAGAGGCAATAGCCCCTGTGGCAATTGCAGGACCAGCTGGAGCAGGGTTGCG GTGTCTCCACGGTGCTCTCGCCCTGCCCATGGCCACCCCAGACTCTGATCTCCAGGAACCCC ATAGCCCCTCTCCACCTCACCCCATGTTGATGCCCAGGGTCACTCTTGCTACCCGCTGGGCC CCCAAACCCCGCTGCCTCTCTTCCTTCCCCCCCATCCCCACCTGGTTTTGACTAATCCTGC CTGCGGGTCAGACTCTGAAGCCGAGTTGCTGTGGGCGTGCCCGGAAGCAGAGCGCCACACTC GCTGCTTAAGCTCCCCCAGCTCTTTCCAGAAAACATTAAACTCAGAATTGTGTTTTCAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA41234

><subunit 1 of 1, 281 aa, 1 stop

><MW: 31743, pI: 6.83, NX(S/T): 1

MGSRGQGLLLAYCLLLAFASGLVLSRVPHVQGEQQEWEGTEELPSPPDHAERAEEQHEKYRP
SQDQGLPASRCLRCCDPGTSMYPATAVPQINITILKGEKGDRGDRGLQGKYGKTGSAGARGH
TGPKGQKGSMGAPGERCKSHYAAFSVGRKKPMHSNHYYQTVIFDTEFVNLYDHFNMFTGKFY
CYVPGLYFFSLNVHTWNQKETYLHIMKNEEEVVILFAQVGDRSIMQSQSLMLELREQDQVWV
RLYKGERENAIFSEELDTYITFSGYLVKHATEP

Signal sequence.

amino acids 1-25

N-glycosylation site.

amino acids 93-97

N-myristoylation sites.

amino acids 7-13, 21-27, 67-73, 117-123, 129-135

Amidation site.

amino acids 150-154

Cell attachment sequence.

amino acids 104-107

GCGGAGCATCCGCTGCGGTCCTCGCCGAGACCCCCGCGCGGATTCGCCGGTCCTTCCCGCGG GCGCGACAGAGCTGTCCTCGCACCTGGATGGCAGCAGGGGCGCCGGGGTCCTCTCGACGCCA GAGAGAAATCTCATCATCTGTGCAGCCTTCTTAAAGCAAACTAAGACCAĞAGGGAGGATTAT CTTGACTTACACTTTGGTAATAATTTGCTTCCTGACACTAAGGCTGTCTGCTAGTCAGAATT GCCTCAAAAAGAGTCTAGAAGATGTTGTCATTGACATCCAGTCATCTCTTTCTAAGGGAATC AGAGGCAATGAGCCCGTATATACTTCAACTCAAGAAGACTGCATTAATTCTTGCTGTTCAAC AAAAACATATCAGGGGACAAAGCATGTAACTTGATGATCTTCGACACTCGAAAAACAGCTA GACAACCCAACTGCTACCTATTTTTCTGTCCCAACGAGGAAGCCTGTCCATTGAAACCAGCA AAAGGACTTATGAGTTACAGGATAATTACAGATTTTCCATCTTTGACCAGAAATTTGCCAAG CCAAGAGTTACCCCAGGAAGATTCTCTCTTACATGGCCAATTTTCACAAGCAGTCACTCCCC TAGCCCATCATCACACAGATTATTCAAAGCCCACCGATATCTCATGGAGAGACACACTTTCT GCTCCTTGCTTATAAGGAAAAAGGCCATTCTCAGAGTTCACAATTTTCCTCTGATCAAGAAA TAGCTCATCTGCTGCCTGAAAATGTGAGTGCGCTCCCAGCTACGGTGGCAGTTGCTTCTCCA CATACCACCTCGGCTACTCCAAAGCCCGCCACCCTTCTACCCACCAATGCTTCAGTGACACC TTCTGGGACTTCCCAGCCACAGCTGGCCACCACAGCTCCACCTGTAACCACTGTCACTTCTC AGCCTCCCACGACCCTCATTTCTACAGTTTTTACACGGGCTGCGGCTACACTCCAAGCAATG GCTACAACAGCAGTTCTGACTACCACCTTTCAGGCACCTACGGACTCGAAAGGCAGCTTAGA AACCATACCGTTTACAGAAATCTCCAACTTAACTTTGAACACAGGGAATGTGTATAACCCTA CTGCACTTTCTATGTCAAATGTGGAGTCTTCCACTATGAATAAAACTGCTTCCTGGGAAGGT AGGGAGGCCAGTCCAGGCAGTTCCTCCCAGGGCAGTGTTCCAGAAAATCAGTACGGCCTTCC ATTTGAAAAATGGCTTCTTATCGGGTCCCTGCTCTTTTGGTGTCCTGTTCCTGGTGATAGGCC TCGTCCTCCTGGGTAGAATCCTTTCGGAATCACTCCGCAGGAAACGTTACTCAAGACTGGAT ${\tt TATTTGATCAATGGGATCTATGTGGACATC} \underline{{\tt TAA}} {\tt GGATGGAACTCGGTGTCTCTTAATTCATT}$ TAGTAACCAGAAGCCCAAATGCAATGAGTTTCTGCTGACTTGCTAGTCTTAGCAGGAGGTTG GCTCTGTTGCCCAGGCTGGAGTGCAGTAGCACGATCTCGGCTCTCACCGCAACCTCCGTCTC CTGGGTTCAAGCGATTCTCCTGCCTCAGCCTCCTAAGTATCTGGGATTACAGGCATGTGCCA CCACACCTGGGTGATTTTTGTATTTTTAGTAGAGACGGGGTTTCACCATGTTGGTCAGGCTG GTCTCAAACTCCTGACCTAGTGATCCACCCTCCTCGGCCTCCCAAAGTGCTGGGATTACAGG CATGAGCCACCACAGCTGGCCCCCTTCTGTTTTATGTTTTGGTTTTTGAGAAGGAATGAAGTG GGAACCAAATTAGGTAATTTTGGGTAATCTGTCTCTAAAATATTAGCTAAAAACAAAGCTCT ATGTAAAGTAATAAAGTATAATTGCCATATAAATTTCAAAATTCAACTGGCTTTTATGCAAA GAAACAGGTTAGGACATCTAGGTTCCAATTCATTCACATTCTTGGTTCCAGATAAAATCAAC TGTTTATATCAATTTCTAATGGATTTGCTTTTCTTTTTATATGGATTCCTTTAAAACTTATT CCAGATGTAGTTCCTTCCAATTAAATATTTGAATAAATCTTTTGTTACTCAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45410

><subunit 1 of 1, 431 aa, 1 stop

><MW: 46810, pI: 6.45, NX(S/T): 6

MFFGGGGSLTYTLVIICFLTLRLSASQNCLKKSLEDVVIDIQSSLSKGIRGNEPVYTSTQED
CINSCCSTKNISGDKACNLMIFDTRKTARQPNCYLFFCPNEEACPLKPAKGLMSYRIITDFP
SLTRNLPSQELPQEDSLLHGQFSQAVTPLAHHHTDYSKPTDISWRDTLSQKFGSSDHLEKLF
KMDEASAQLLAYKEKGHSQSSQFSSDQEIAHLLPENVSALPATVAVASPHTTSATPKPATLL
PTNASVTPSGTSQPQLATTAPPVTTVTSQPPTTLISTVFTRAAATLQAMATTAVLTTTFQAP
TDSKGSLETIPFTEISNLTLNTGNYYNPTALSMSNVESSTMNKTASWEGREASPGSSSQGSV
PENOYGLPFEKWLLIGSLLFGVLFLVIGLVLLGRILSESLRRKRYSRLDYLINGIYVDI

Signal sequence.

amino acids 1-25

Transmembrane domain.

amino acids 384-405

N-glycosylation sites.

amino acids 72-76, 222-226, 251-255, 327-331, 352-356

cAMP- and cGMP-dependent protein kinase phosphorylation site.

Tyrosine kinase phosphorylation site.

amino acids 50-57

N-myristoylation sites.

amino acids 4-10, 48-54, 315-321

 $\tt GCGGCACCTGGAAG{\color{red}{\textbf{ATG}}}CGCCCATTGGCTGGTGGCCTGCTCAAGGTGGTGTTCGTGGTCTTC$ GCCTCCTTGTGTGCCTGGTATTCGGGGTACCTGCTCGCAGAGCTCATTCCAGATGCACCCCT GTCCAGTGCTGCCTATAGCATCCGCAGCATCGGGGAGAGGCCTGTCCTCAAAGCTCCAGTCC CCAAAAGGCAAAATGTGACCACTGGACTCCCTGCCCATCTGACACCTATGCCTACAGGTTA $\tt CTCAGCGGAGGTGGCAGAAGCAAGTACGCCAAAATCTGCTTTGAGGATAACCTACTTATGGG$ AGAACAGCTGGGAAATGTTGCCAGAGGAATAAACATTGCCATTGTCAACTATGTAACTGGGA ATGTGACAGCAACACGATGTTTTGATATGTATGAAGGCGATAACTCTGGACCGATGACAAAG AAGACTGAATAACGATGCCAAGAATGCCATAGAAGCACTTGGAAGTAAAGAAATCAGGAACA TGAAATTCAGGTCTAGCTGGGTATTTATTGCAGCAAAAGGCTTGGAACTCCCTTCCGAAATT GATCCAGATAGAAGGCTGCATACCCAAAGAACGAAGCTGACCAGGGTCCTGAGTAAAT GTGTTCTGTATAAACAAATGCAGCTGGAATCGCTCAAGAATCTTATTTTCTAAATCCAACA GCCCATATTTGATGAGTATTTTGGGTTTGTTGTAAACCAATGAACATTTGCTAGTTGTATCA AATCTTGGTACGCAGTATTTTATACCAGTATTTTATGTAGTGAAGATGTCAATTAGCAGGA AACTAAAATGAATGGAAATTCTTAAAAAAAAAAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA46777

><subunit 1 of 1, 235 aa, 1 stop

><MW: 25982, pI: 9.09, NX(S/T): 2

MRPLAGGLLKVVFVVFASLCAWYSGYLLAELIPDAPLSSAAYSIRSIGERPVLKAPVPKRQK CDHWTPCPSDTYAYRLLSGGGRSKYAKICFEDNLLMGEQLGNVARGINIAIVNYVTGNVTAT RCFDMYEGDNSGPMTKFIQSAAPKSLLFMVTYDDGSTRLNNDAKNAIEALGSKEIRNMKFRS SWVFIAAKGLELPSEIQREKINHSDAKNNRYSGWPAEIQIEGCIPKERS

Signal sequence.

amino acids 1-20

N-glycosylation sites.

amino acids 120-124, 208-212

Glycosaminoglycan attachment site.

amino acids 80-84

N-myristoylation sites.

amino acids 81-87, 108-114, 119-125